



Recommended Replacement Products for EHUH Series Products

Obsolete USP Stock No.	Recommended Replacement Stock No.	Recommended Replacement Evaluation Report		EHUH LOADS		Replacement Loads		Load Difference		Percentage Difference	
				DOWN	UPLIFT	DOWN	UPLIFT	DOWN	UPLIFT	DOWN	UPLIFT
		NER	Florida Code	100%	133%	100%	133%	100%	133%	100%	133%
EHUH26	HUS26	NER-510	FL-818	2385	1200	2590	1925	205	725	8.6%	60.4%
EHUH28	HUS28	NER-510	FL-818	3470	1645	3890	2570	420	725	12.1%	39.3%
EHUH210	HUS210	NER-510	FL-818	3965	2110	4160	3205	195	965	4.9%	51.9%
EHUH26-2	THD26-2	NER-478	FL-815	2875	1680	2450	1825	425	135	-14.8%	8.0%
EHUH28-2	THD28-2	NER-478	FL-815	4185	2155	3750	2390	-435	235	-10.4%	10.9%
EHUH210-2	THD210-2	NER-478	FL-815	5190	1845	5090	2985	-100	1340	-1.9%	81.5%
EHUH26-3	THD26-3	NER-608	FL-821	5190	2845	6260	2665	1070	20	20.6%	3.8%
EHUH28-3	THD28-3	NER-608	FL-821	5190	2845	6260	2665	1070	135	-4.8%	8.0%
EHUH46	THD46	NER-478	FL-815	2875	1680	2450	2390	-425	235	-10.4%	10.9%
EHUH48	THD48	NER-478	FL-815	4185	2155	3750	2390	-435	270	-1.5%	9.9%
EHUH410	THD410	NER-478	FL-815	5190	2715	5090	2985	-100	270	-1.5%	9.9%
EHUH26-N	HUS26	NER-510	FL-818	3150	1730	2590	1925	-570	195	-18.0%	11.3%
EHUH28-N	HUS28	NER-510	FL-818	4110	2515	3890	2570	-220	55	-5.4%	2.2%
EHUH210-N	HUS210	NER-510	FL-818	4700	2875	4160	3205	-540	330	-11.5%	11.5%
EHUH26-2N	THD26-2	NER-608	FL-821	3285	2195	3765	2235	480	40	14.8%	1.8%
EHUH28-2N	THD28-2	NER-608	FL-821	4775	2790	6260	2665	1485	-125	31.1%	-4.5%
EHUH210-2N	THD210-2	NER-608	FL-821	5335	2850	7910	3490	2575	640	48.3%	22.5%
EHUH26-3N	THD26-3	NER-608	FL-821	5335	2850	6260	2665	925	-185	17.3%	-6.5%
EHUH28-3N	THD28-3	NER-608	FL-821	5335	2850	6260	2665	925	40	4.6%	1.5%
EHUH46-N	THD46	NER-508	FL-821	3285	2195	3765	2235	480	-125	31.1%	-4.5%
EHUH48-N	THD48	NER-508	FL-821	4775	2790	6260	2665	1485	640	48.3%	22.5%
EHUH410-N	THD410	NER-508	FL-821	5335	2850	7910	3490	2575	640	48.3%	22.5%

Note: Allowable loads based on 1997 NDS