





PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 02-1216.07
Expiration Date 08/13/08
By
Miami Dade Product Control
Division



GLAZING:

MATERIAL: 1/4" TEMPERED GLASS

METHOD:

USE ADHESIVE BEDDING COMPOUND AND GLAZING FOAM TAPE ON EXTERIOR. EXTRUDED ALUMINUM SNAP ON GLAZING BEAD WITH VINYL SEALS ON INTERIOR. GLAZING BEAD WAS FASTENED TO FRAME IN TEST UNIT WITH #cc 8 BY 1" FHSMS TWO AT EACH HORIZONTAL BEAD AND THREE AT EACH VERTICAL BEAD IN TEST UNIT

WOOD BUCKS NOT BY SUNSHINE WINDOWS MUST SUSTAIN IMPOSED LOADS BY GLAZING SYSTEM.

1-12-03

FRANCISCO HERNANDEZ
FLORIDA PE # 51363

Sunshine Windows Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-8882
Fax:(305)828-8118

FRANCISCO HERNANDEZ P.E.
Structural Engineering
Florida Reg. No. 51363
Miami, Florida 33176
Ph: (305) 386 3470
Fax: (305) 386 3427

SERIES 1650 ALUMINUM
HORIZONTAL SLIDING WINDOW (XO)
1/4" TEMPERED GLASS

Drawn By: MH
Date: 8-18-99
Scale: 1/2"=1"
Revision: 1-07-03
Revision:

DRAWING NO.
HS99-04T

SHEET
2 OF 3