

WINDOW SIZE W X H INCHES	DESIGN PRESSURE CHART - PSF							
	FTL-125 3/16" THERMO GLASS		FTL-124 3/16" ANNEALED GLASS		FTL-123 1/2" ANNEALED GLASS		NEG.	
	POS.	NEG.	POS.	NEG.	POS.	NEG.		
120 X 40	98.23	98.23	—	—	—	—	—	
120 X 37	100.00	104.62	—	—	—	—	—	
120 X 26	100.00	141.24	—	—	—	—	—	
120 X 19	100.00	187.15	63.16	63.16	—	—	—	
108 X 46	90.44	90.44	—	—	—	—	—	
108 X 40	100.00	100.46	—	—	—	—	—	
108 X 37	100.00	106.79	—	—	—	—	—	
108 X 26	100.00	143.17	48.32	48.32	—	—	—	
108 X 19	100.00	188.95	63.77	63.77	—	—	—	
96 X 46	90.95	90.95	—	—	—	—	—	
96 X 40	93.61	93.61	—	—	—	—	—	
96 X 37	100.00	103.40	—	—	—	—	—	
96 X 26	100.00	108.62	—	—	—	—	—	
96 X 19	100.00	145.66	49.16	49.16	—	—	—	
84 X 42	100.00	191.26	64.54	64.54	—	—	—	
84 X 37	100.00	103.95	—	—	—	—	—	
84 X 26	100.00	113.49	—	—	—	—	—	
84 X 19	100.00	148.99	50.28	50.28	—	—	—	
74 X 37	100.00	194.31	65.57	65.57	52.72	52.72	52.72	
74 X 26	100.00	117.99	—	—	—	—	—	
74 X 19	100.00	152.77	51.56	51.56	—	—	—	
63 X 31.5	100.00	197.71	66.72	66.72	54.11	54.11	54.11	
63 X 26	100.00	138.60	46.77	46.77	—	—	—	
63 X 19	100.00	158.68	53.55	53.55	—	—	—	
53 X 26.5	100.00	202.93	68.48	68.48	55.54	55.54	55.54	
53 X 19	100.00	164.75	55.60	55.60	45.09	45.09	45.09	
38 X 19	100.00	209.97	70.86	70.86	57.47	57.47	57.47	
26.5 X 13.25	100.00	228.78	77.54	77.54	62.89	62.89	62.89	
36 X 19	100.00	270.00	80.00	80.00	111.19	80.00	90.16	

Sunshine Windows Manufacturing, Inc.
1745 W. 34th St.
P.O. Box 1000
Tampa, FL 33613

ARCH
TYPICAL ELEVATION
WINDOW HEIGHT
WINDOW WIDTH

Sunshine Windows Manufacturing, Inc.
1745 W. 34th St.
P.O. Box 1000
Tampa, FL 33613

SERIES 4250 ALUMINUM CURTAIN TOP FIXED WINDOW

Drawn By: M.H.
Date: 9-15-00
Scale: 1/8" = 1'-0"

APPROVED AS SHOWN WITH THE SOUTH FLORIDA BUILDING CODE
Signature
SUNSHINE WINDOWS MANUFACTURING, INC.
TAMPA, FL 33613
OFFICE: 813-833-1111
FAX: 813-833-1112

Project No.: PW-00-02
SHEET 4 OF 5