OSHKOSH
ON THE WATER

CITY OF OSHKOSH

No 156583

COMMERCIAL BUILDING PERMIT - APPLICATION AND RECORD

Job Address 3555 MOSER ST

Create Date 07/08/2013

Project Tank Replacement

Project Number 0

Owner RONALD H/JANE K JOHNSON LLC

Plan

Contractor OWNER

Inspector Nicole Krahn

Designer

Category 240 - Commercial Accessory Structures

Type of Plan

Zoning M-3

Square Footage

Major Occ

Const Class

Fire Protection ◯ Sprinkled ◯ Unsprinkled

Sprinkler Design

Occupancy Permit

Flood Plain

Height Permit

Park Dedication

Dwelling Units 0

Structures 0

☐ Projection

Canopies

Signs

Use/Nature of Work

IND/ Replacing 54' tall x 13' dia w/ stainless 52' tall x 13'dia. (tank #3). Zoning approval given by Todd.

HVAC Contractor

Plumbing Contractor

Electric Contractor

Fees: Valuation $2,000.00 Plan Approval $0.00 Permit Fee Paid $44.00 Park Dedication $0.00

Issued By:

Date 07/08/2013 Final/O.P. 00/00/0000

☐ Permit Voided

Parcel Id # 1519606400

In the performance of this work I agree to perform all work pursuant to rules governing the described construction.
While the City of Oshkosh has no authority to enforce easement restrictions of which it is not a party, if you perform the work described in this permit application within an easement, the City strongly urges the permit applicant to contact the easement holder(s) and to secure any necessary approvals before starting such activity.
I have read and understand the afore mentioned information.

Signature Dean C Stack Date 7-8-13

Agent/Owner

Address Oshkosh WI 54901 - 0000 Telephone Number

To schedule inspections please call the Inspection Request line at 236-5128 noting the Address, Permit Number, Type of Inspection (i.e. Footing, Service, Final, etc.), Access into Building if Secure (how do we gain entry), your Name and Phone Number. Unless specified otherwise, we will assume the project is ready at the time the request is received. Work may continue if the inspection is not performed within two business days from the time the project is ready.

City of Oshkosh

P O Box 1130
Oshkosh, WI 54903-1130
Phone: (920) 236-5050
Fax: (920) 236-5084
www.ci.oshkosh.wi.us


Building Permit Application

Project Address	3555 Moser Street Oshkosh
Applicant	Owner Contractor Tenant Other (describe) Employee
Owner / Tenant	Name Ronald H / Jane K. Johnson LLC Phone [redacted] Address 3555 Moser St Email
Contractor	Company Name N/A Phone Contact Email Address State Credential #'s ____ (Dwelling Contractor Qualifier #), ____ (Dwelling Contractor #), ____ (Building Contractor Registration #)
Achitect / Designer	Company Name N/A Phone Contact Email Address
Permit Type	Residential Single Family Residential Duplex Commercial Multifamily (Industrial)
Catagory	New Addition (Alteration)
Project Description	Install anchor bolts Replace storage tank with new.
Mechanical Permits	Separate permits will be obtained for the following: Electrical by N/A Plumbing by N/A Heating by N/A
Value of Job	$ 20000.00 (Value for materials & labor is req. to ensure consistency in accessing permit fees for all applicants.) Payment by: Check # Cash Permit Fee Account


I certify the above information is complete and accurate. Any deviations from the above submitted information may require additional permits to be obtained. I acknowledge and agree to these terms.

Name: DEAN STAEHLE (Please print) Date: 7-8-13

Signature: Dean Staehle



TANK DIA.	DIMENSIONS		NO. OF ANCHOR BOLTS EQ. SP.
	RADIUS	CHORD	
7 FT.	36 3/4"	28 1/8"	8
8 FT.	42 3/4"	32 3/4"	8
9 FT.	48 3/4"	37 5/16"	8
10 FT.	54 3/4"	28 5/16"	12
11 FT.	60 3/4"	23 11/16"	16
12 FT.	66 3/4"	26 1/16"	16
13 FT.	72 3/4"	22 3/4"	20
14 FT.	78 3/4"	24 5/8"	20
15 FT.	84 3/4"	22 1/8"	24
16 FT.	90 3/4"	23 11/16"	24



NOTES

1.) Anchor bolt centerlines must be coordinated with the skirt door position.
   a) Single door - All tank sizes.
      Anchor bolts must straddle door centerline.
   b) Double doors - For 11', 13', 14' ,15 & 16' dia. tanks.
      Anchor bolts must straddle door centerline.
   c) Double doors - For 7', 8', 9', 10' & 12' dia. tanks.
      Anchor bolts must be on door centerline.
2.) Foundations, anchor bolts and sizing of each are the responsibility of the purchaser.
3.) Grouting or support steel must provide 360° of support to the base ring. Failure to provide this support will void tank warranty.

CERTIFIED PRINT
IMPERIAL CALUMET INDUSTRIES INC.
AUTHORIZED BY: Russell Putnam
DATE: 12-01-92

IMPERIAL INDUSTRIES INCORPORATED
SUBSIDIARY OF WAUSAU TILE, INC.

DR. BY: G. HAAS	DATE: 1-22-87	SCALE: NONE	TSA2
APPR. BY: _	DATE: _	REVISION: 8	
DRAWING NAME: ANCHOR BOLT LAYOUT SKIRTED TANKS			
REFERENCE:		DRAWING NUMBER: 901-0060	